

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspio.gov

| APPLICATION NO.                                | FILING DATE     | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.     | CONFIRMATION NO          |  |
|--|-----------------|----------------------|-------------------------|--------------------------|--|
| 10/772,886                                     | 02/04/2004      | Barbara Tornaghi     | FLEX-00101              | 5366                     |  |
| 28960  | 7590 04/21/2005 |                      | EXAM                    | EXAMINER                 |  |
| HAVERSTOCK & OWENS LLP<br>162 NORTH WOLFE ROAD |                 |                      | SMITH, SHEILA B         |                          |  |
|  | E, CA 94086     |                      | ART UNIT                | PAPER NUMBER             |  |
|  | ,               |                      | 2681                    |                          |  |
|  |                 |                      | DATE MAIL ED. 04/21/200 | DATE MAIL ED: 04/21/2005 |  |

Please find below and/or attached an Office communication concerning this application or proceeding.

| Office Action Summary  |  | Application No.   | Applicant(s)   |           |
|--|--|---|--|-----------|
|  |  | 10/772,886  | TORNAGHI, BARBARA  |           |
|  |  | Examiner  | Art Unit   |           |
|  |  | Sheila B. Smith   | 2681   |           |
| The MAILING DATE of Period for Reply   | of this communication app  | ears on the cover sheet with the c  | orrespondence ad   | dress     |
| THE MAILING DATE OF The Extensions of time may be available after SIX (6) MONTHS from the mail If the period for reply specified above If NO period for reply is specified above Failure to reply within the set or exte | HIS COMMUNICATION. under the provisions of 37 CFR 1.13 ing date of this communication. is less than thirty (30) days, a reply ove, the maximum statutory period w inded period for reply will, by statute, than three months after the mailing | IS SET TO EXPIRE 3 MONTH( 36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI date of this communication, even if timely filed | nely filed s will be considered timely the mailing date of this co |           |
| Status   |  |   |  |           |
| 1) Responsive to commi   | unication(s) filed on <u>06 De</u>   | ecember 2004.   |  |           |
| 2a)⊠ This action is FINAL.   | 2b)⊡ This  | action is non-final.  |  |           |
|  |  | ice except for formal matters, pro<br>x parte Quayle, 1935 C.D. 11, 45  |  | merits is |
| Disposition of Claims  |  |   |  |           |
| 5) Claim(s) is/are<br>6) Claim(s) <u>1-4,6,7,14-3</u><br>7) Claim(s) is/are  | n(s) <u>5 and 8-13</u> is/are with<br>allowed.<br><u>6</u> is/are rejected.  | drawn from consideration.   |  |           |
| Application Papers   |  |   |  |           |
| 9) The specification is ob   | jected to by the Examiner  | r.  |  |           |
| 10) ☐ The drawing(s) filed or  | n is/are: a)∏ acce   | epted or b) $\square$ objected to by the E  | Examiner.  |           |
|  |  | drawing(s) be held in abeyance. See   | • •  |           |
|  |  | on is required if the drawing(s) is obj<br>aminer. Note the attached Office   |  | ` '       |
| Priority under 35 U.S.C. § 119   |  |   |  |           |
| 12) Acknowledgment is material All b) Some * c  1. Certified copies  2. Certified copies  3. Copies of the company application from  | None of: of the priority documents of the priority documents ertified copies of the priori the International Bureau  | have been received in Application to the have been received ity documents have been received  | on No d in this National   | Stage     |
|  |  |   |  |           |
| Attachment(s)  |  |   |  |           |
| <ol> <li>Notice of References Cited (PTO</li> <li>Notice of Draftsperson's Patent D</li> </ol>   |  | 4)  Interview Summary (<br>Paper No(s)/Mail Da  |  |           |
| Information Disclosure Statement Paper No(s)/Mail Date   |  | 5) Notice of Informal Pa  |  | -152)     |

Art Unit: 2681

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1-4,6,7,14-36 rejected under 35 U.S.C. 103(a) as being unpatentable over San Giovanni (U. S. Patent Publication 2002/0102946) in view of Lenchik et al. (U. S. Patent Number 6,658,272)

Regarding claim 1, San Giovanni discloses essentially all the claimed invention as set fourth in the instant application, further San Giovanni discloses a modular two-body design for integration of mobile computing device features with a wireless communication device. In addition San Giovanni a electronic device (100) comprising a.) a first substantially planar panel including a first interface (102), the first panel having a first axis of rotation perpendicular to the first panel; and b. a second substantially planar panel including a second interface(104), the second panel having a second axis of rotation perpendicular to the second panel and rotatably joined to the first panel such that the first axis of rotation and the second axis rotation are colinear (which reads on "The universal joint includes a pivot for rotating the information input/output device over a vertical axis and a swivel for rotating the information input/output device over a horizontal axis" disclosed in the abstract of San Giovanni); wherein in a first position the second interface is obscured by the first panel (which reads on paragraph 0023) and

in a second position the second interface is exposed (which is exhibited in figure 1), however

San Giovanni fails to specifically disclose the first panel includes a display configured to
respond to the first and second interfaces according to a first and second mode wherein the first
and second interfaces operate in the first mode when configured in the first position and operate
in a second mode when configured in a second position.

In the same field of endeavor, Lenchik et al. discloses a self configuring multiple element portable electronic device. In addition Lenchik et al. discloses a first panel includes a display (120) configured to respond to the first and second interfaces according to a first and second mode wherein the first and second interfaces operate in the first mode when configured in the first position and operate in a second mode when configured in a second position (which reads on column 2 lines 17-26),

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to improve San Giovanni by modifying a modular two-body design for integration of mobile computing device features with a the first panel includes a display configured to respond to the first and second interfaces according to a first and second mode wherein the first and second interfaces operate in the first mode when configured in the first position and operate in a second mode when configured in a second position as taught by Lenchik et al. for the purpose of providing different functions that intermesh operationally while sharing inputs, outputs, and other resources.

Regarding claim 2, the combination of San Giovanni in view of Lenchik et al. discloses the first panel includes a display (108), such that when the device is configured in the first

position, the first interface controls the display and when the device is configured in the second position the second interface (110) controls the display (108 and which reads on paragraph 0032).

Regarding claim 3 the combination of San Giovanni in view of Lenchik et al. discloses the first panel includes a display, such that when the device is configured in the first position, an entry made on the first interface is displayed on the display, and when the device is configured in the second position, an entry made on the second interface is displayed on the display (108 and which reads on paragraph 0032).

Regarding claim 4, the combination of San Giovanni in view of Lenchik et al. discloses the first panel includes a display, such that when the device is configured in the first position, an entry made on the first interface is displayed on the display, and when the device is configured in the second position, entries made on the first interface and the second interface are displayed on the display (108 and which reads on paragraph 0032).

Regarding claim 6, the combination of San Giovanni in view of Lenchik et al. discloses the first panel is operatively coupled to the second panel to allow an exchange of electronic data (which reads on paragraph 0001).

**Regarding claim** 7, the combination of San Giovanni in view of Lenchik et al. discloses the device is a portable handheld device (which reads on paragraph 0001).

Regarding claims 14, 22, 23, 24, San Giovanni discloses a wireless telecommunications device comprising a. a first panel (102) including a front side and a back side (108), wherein the front side further comprises a display and a telephone interface (which reads on an input device disclosed in paragraph 0019), the first panel having a first axis of rotation; b. a second panel

Application/Control Number: 10/772,886 Page 5

Art Unit: 2681

(104) including a keyboard (110), the second panel having a second axis of rotation, the second panel rotatably coupled to the first panel such that in a first position the keyboard is obscured by the first panel (which reads on paragraph 0023), and in a second position the keyboard is exposed (which is exhibited in figure 1), wherein in the first position an entry made on the telephone interface is displayed on the display and in the second position an entry made on the keyboard is displayed on the display (which reads on "Additionally, the integrated computing wireless communication apparatus 100 may contain a trigger providing functionality to activate the display 108 or various output images on the display 108" disclosed in paragraph 0032 of San Giovanni), however San Giovanni fails to specifically disclose a digital camera lens mounted to a surface of the back side of the first panel, such that in a first position the camera lens is obscured by the second panel, and in a third position the camera lens is exposed.

In the same field of endeavor, Lenchik et al. discloses a self configuring multiple element portable electronic device. In addition Lenchik et al. discloses a digital camera lens (29) mounted to a surface of the back side of the first panel (104), such that in a first position the camera lens is obscured by the second panel (106) (which reads on column 3 lines 22-25), and in a third position the camera lens is exposed (as exhibited in figure 19).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to improve San Giovanni by modifying a modular two-body design for integration of mobile computing device features with a wireless communication device with a digital camera lens mounted to a surface of the back side of the first panel, such that in a first position the camera lens is obscured by the second panel, and in a third position the camera lens

Art Unit: 2681

is exposed as taught by Lenchik et al. for the purpose of creating a device that is intuitively simple to use.

Regarding claim 15, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses in the second position, entries made on both the keyboard and the telephone interface are displayed on the display (which reads on paragraph 0020).

Regarding claims 16 and 18, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses in the third position, the keyboard is obscured (which reads on paragraph 0023).

Regarding claim 17, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the second panel rotates in a first direction from the first position toward the second position and the third position (which reads on paragraph 0023).

Regarding claim 19, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses when the device is configured in the second position, the second panel is rotated about 180 degrees from the first panel (which reads on paragraph 0024).

Regarding claims 20,21, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the second panel rotates in a first direction from the first position toward the second position and in a second direction from the first position toward the third position, wherein the second direction is opposite to the first direction (which reads on paragraph 0023).

Regarding claim 25, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the front side of the first panel includes the display and the first interface, and the back side of the first panel includes an engaging end (which reads on paragraph 0024).

Regarding claim 26, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the second panel further comprises a receiving end (which reads on paragraph 0024).

Regarding claim 27, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses when the device is in one of the first position, the second position, and the third position, the receiving end receives the engaging end (which reads on paragraph 0024).

Regarding claim 28, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the front side of the first panel includes the display and the first interface, and the back side of the first panel includes a receiving end (which reads on paragraph 0024).

Regarding claim 29, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the second panel further comprises an engaging end (which reads on paragraph 0024).

Regarding claim 30, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses when the device is in one of the first position, the second position, and the third position, the receiving end receives the engaging end (which reads on paragraph 0024).

Application/Control Number: 10/772,886 Page 8

Art Unit: 2681

Regarding claim 31, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above additionally San Giovanni discloses a electronic device (100) comprising a.) a first substantially planar panel including a first interface (102), the first interface comprising a telephone inferface, the first panel having a first axis of rotation perpendicular to the first panel (which reads on paragraph 0023); and b. a second substantially planar panel including a second interface (104), the second interface comprising a keyboard (110) interface, the second panel having a second axis of rotation perpendicular to the second panel and rotatably joined to the first panel such that the first axis of rotation and the second axis rotation are co-linear (which reads on "The universal joint includes a pivot for rotating the information input/output device over a vertical axis and a swivel for rotating the information input/output device over a horizontal axis" disclosed in the abstract of San Giovanni); wherein in a first position the second interface is obscured by the first panel (which reads on paragraph 0023) and in a second position the second interface is exposed (which is exhibited in figure 1).

Regarding claim 32, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the first panel includes a display (108), such that when the device is configured in the first position, the first interface controls the display and when the device is configured in the second position the second interface (110) controls the display (108 and which reads on paragraph 0032).

Regarding claim 33, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the first panel includes a display, such that when the device is configured in the first position, an entry made on the first interface is displayed on the display, and when the device is configured in the second position, an

Art Unit: 2681

entry made on the second interface is displayed on the display (108 and which reads on paragraph 0032).

Regarding claim 34, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the first panel includes a display, such that when the device is configured in the first position, an entry made on the first interface is displayed on the display, and when the device is configured in the second position, entries made on the first interface and the second interface are displayed on the display (108 and which reads on paragraph 0032).

Regarding claim 35, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the device operates in a first mode when configured in the first position and operates in a second mode when configured in the second position (which reads on paragraph 0023).

Regarding claim 36, the combination of San Giovanni in view of Lenchik et al. discloses everything claimed as applied above in addition San Giovanni discloses the first panel is operatively coupled to the second panel to allow an exchange of electronic data (which reads on paragraph 0001).

## Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sheila B. Smith whose telephone number is (571)272-7847. The examiner can normally be reached on Monday-Thursday 6:00 am - 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on 571-272-3865. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2681

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 11

S. Smith S. S. April 15, 2005 Jean Alland Celi